



PROLITE

Always on, your side


COMPLETE CATALOGUE





CONTENTS

FLOODLIGHTS	P1
LIGHTS & GLOBES	P4
EXTENSIONS & PLUGS	P17



DO YOU NEED A NEW LIGHTBULB?

STEP 1 Know what fitting you need

Lamp Fitting Guide

Screw Cap



Small Edison Screw



Bayonet



Small Bayonet



STEP 2 For brightness choose Lumens, not Watts

Brightness of light is measured in Lumens (lm), look out for this in the box

Lumens

400 Lumens
Dim



1300 Lumens
Bright



EXAMPLE: 1300 Lumens



Same Brightness

1300 Lumens



Higher Watts
use more electricity

Lower Watts
use less electricity

STEP 3 New technology options

NEW TECHNOLOGY



OLD NEW

STEP 4 Higher quality, longer lasting



1000+ hours
7 months
(4 hours per day)



2000+ hours
1.4 years
(4 hours per day)



6000+ hours
4 years
(4 hours per day)



15000+ hours
10 years
(4 hours per day)

STEP 5 Quality bulbs save money

Annual cost = Price of bulb + Electricity




Less efficient



HALOGEN



CFL





LED

More efficient

STEP 6 Choose green bulbs!

Green = Less power used



STEP 7 Create your tone / mood

Warm White

Low - 4000K


Cool White

High - 6500K

Soft tone /
mood, e.g.
for bedroom

Clear tone /
mood, e.g.
for kitchen

Measured in KELVINS



PRODUCT FEATURES & INFORMATION

GUARANTEE INFORMATION

Products with this icon are covered under a warranty or guarantee for one year after date of purchase. Retain proof of purchase.



ICONOGRAPHY INFORMATION

Icons feature with each product for easy and quick reading.



SURGE PROTECTION INFORMATION

Some products feature surge protection for those times when the unexpected happens.


SURGE PROTECTION SPECIFICATIONS	
SPD TYPE	3
UC	250V -L/N -PE L-N
UOC	4kv
UP	1.5kv
PROTECTION COMPONENT RESPONSE TIME (nSec)	< 25

FLOODLIGHTS



10 WATT LED FLOODLIGHT

SLIMLINE
DESIGN



PRODUCT CODE: PL10WFL

- Lens material: Tempered glass casing
- Luminous flux: 750 Lumens
- Colour temperature: 6500K
- Beam angle: 120°
- IP65 weather resistant
- 25000 Hour lifespan
- 3 Year warranty
- Compact slim line design

- Aluminium ADC12 reflector
- Aluminium 1060
- Non-dimmable
- Input voltage: AC 220V - 240V
- Power efficiency : 85%
- Environmental temperature:
 - Working: 20°C 3 45°C
 - Storage: 30°C 3 60°C

750
LUMENS

COOL
WHITE

120°
BEAM
ANGLE


85%
ENERGY
SAVING

25000 HRS
LIFESPAN

IP65
WEATHER
RESISTANT

20 WATT LED FLOODLIGHT

SLIMLINE
DESIGN



PRODUCT CODE: PL20WFL

- Lens material: Tempered glass casing
- Luminous flux: 1500 Lumens
- Colour temperature: 6500K
- Beam angle: 120°
- IP65 weather resistant
- 25000 Hour lifespan
- 3 Year warranty
- Compact slim line design

- Aluminium ADC12 reflector
- Aluminium 1060
- Non-dimmable
- Input voltage: AC 220V - 240V
- Power efficiency : 85%
- Environmental temperature:
 - Working: 20°C 3 45°C
 - Storage: 30°C 3 60°C

1500
LUMENS

COOL
WHITE

120°
BEAM
ANGLE


85%
ENERGY
SAVING

25000 HRS
LIFESPAN

IP65
WEATHER
RESISTANT

10 WATT LED FLOODLIGHT DAY/NIGHT SENSOR

SLIMLINE
DESIGN



PRODUCT CODE: PL10WFLDNS

- Lens material: Tempered glass casing
- Luminous flux: 750 Lumens
- Day / night sensor
- Beam angle: 120°
- IP65 weather resistant
- 25000 Hour lifespan
- 3 Year warranty
- Compact slim line design

- Aluminium ADC12 reflector
- Aluminium 1060
- Non-dimmable
- Input voltage: AC 220V - 240V
- Power efficiency : 85%
- Environmental temperature:
 - Working: 20°C 3 45°C
 - Storage: 30°C 3 60°C

750
LUMENS

COOL
WHITE

120°
BEAM
ANGLE


85%
ENERGY
SAVING

25000 HRS
LIFESPAN

IP65
WEATHER
RESISTANT

20 WATT LED FLOODLIGHT DAY/NIGHT SENSOR

SLIMLINE
DESIGN



PRODUCT CODE: PL20WFLDNS

- Lens material: Tempered glass casing
- Luminous flux: 1500 Lumens
- Day / night sensor
- Beam angle: 120°
- IP65 weather resistant
- 25000 Hour lifespan
- 3 Year warranty
- Compact slim line design

- Aluminium ADC12 reflector
- Aluminium 1060
- Non-dimmable
- Input voltage: AC 220V - 240V
- Power efficiency : 85%
- Environmental temperature:
 - Working: 20°C 3 45°C
 - Storage: 30°C 3 60°C

1500
LUMENS

COOL
WHITE

120°
BEAM
ANGLE


85%
ENERGY
SAVING

25000 HRS
LIFESPAN

IP65
WEATHER
RESISTANT

30 WATT LED FLOODLIGHT

SLIMLINE
DESIGN



PRODUCT CODE: PL30WFL

- Lens material: Tempered glass casing
- Luminous flux: 2250 Lumens
- Colour temperature: 6500K
- Beam angle: 120°
- IP65 weather resistant
- 25000 Hour lifespan
- 3 Year warranty
- Compact slim line design

- Aluminium ADC12 reflector
- Aluminium 1060
- Non-dimmable
- Input voltage: AC 220V - 240V
- Power efficiency : 85%
- Environmental temperature:
 - Working: 20°C 3 45°C
 - Storage: 30°C 3 60°C

2250
LUMENS

COOL
WHITE

120°
BEAM
ANGLE


85%
ENERGY
SAVING

25000 HRS
LIFESPAN

IP65
WEATHER
RESISTANT

50 WATT LED FLOODLIGHT

SLIMLINE
DESIGN



PRODUCT CODE: PL50WFL

- Lens material: Tempered glass casing
- Luminous flux: 3750 Lumens
- Colour temperature: 6500K
- Beam angle: 120°
- IP65 weather resistant
- 25000 Hour lifespan
- 3 Year warranty
- Compact slim line design

- Aluminium ADC12 reflector
- Aluminium 1060
- Non-dimmable
- Input voltage: AC 220V - 240V
- Power efficiency : 85%
- Environmental temperature:
 - Working: 20°C 3 45°C
 - Storage: 30°C 3 60°C

3750
LUMENS

COOL
WHITE

120°
BEAM
ANGLE

85%
ENERGY
SAVING


25000 HRS
LIFESPAN

IP65
WEATHER
RESISTANT

LIGHTS & GLOBES




GU10 LED LAMP - COOL DAYLIGHT




PRODUCT CODE : PL7WGU10CD

- Luminous flux: 500 Lumens
- Colour temperature: 4000K
- Beam angle: 110°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- GU10 clip in fitting

- 7 Watt
- Energy saving




GU10 LED LAMP - WARM WHITE




PRODUCT CODE : PL7WGU10WW

- Luminous flux: 500 Lumens
- Colour temperature: 3000K
- Beam angle: 110°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- GU10 clip in fitting

- 7 Watt
- Energy saving




GU10 DIMMABLE LED LAMP - COOL DAYLIGHT




PRODUCT CODE : PL7WGU10DCD

- Luminous flux: 500 Lumens
- Colour temperature: 4000K
- Beam angle: 180°
- Dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- GU10 clip in fitting

- 7 Watt
- Energy saving




GU10 DIMMABLE LED LAMP - WARM WHITE




PRODUCT CODE : PL7WGU10DWW

- Luminous flux: 500 Lumens
- Colour temperature: 3000K
- Beam angle: 180°
- Dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- GU10 clip in fitting

- Instant on
- 7 Watt
- Energy saving




E14 CANDLE LED LAMP - WARM WHITE




PRODUCT CODE : PL4WE14WW

- Luminous flux: 320 Lumens
- Colour temperature: 3000K
- Beam angle: 180°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E14 screw in fitting

- Instant on
- 4 Watt
- Energy saving
- RoHS approved
- Mercury & lead free




E27 CANDLE LED LAMP - WARM WHITE




PRODUCT CODE : PL4WE27WW

- Luminous flux: 320 Lumens
- Colour temperature: 3000K
- Beam angle: 180°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E27 screw in fitting

- Instant on
- 4 Watt
- Energy saving
- RoHS approved
- Mercury & lead free




SPOT LIGHT R50 LED LAMP E14 - COOL DAYLIGHT



PRODUCT CODE : PL6WE14CD

- Luminous flux: 480 Lumens
- Colour temperature: 4000K
- Beam angle: 180°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E14 screw fitting

- Instant on
- 6 Watt
- Energy saving
- RoHS approved
- Mercury & lead free




SPOT LIGHT R63 LED LAMP E27 - COOL DAYLIGHT



PRODUCT CODE : PL8WE27CD

- Luminous flux: 720 Lumens
- Colour temperature: 4000K
- Beam angle: 120°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E27 screw fitting

- Instant on
- 8 Watt
- Energy saving
- RoHS approved
- Mercury & lead free




A60 LED LAMP B22 - COOL DAYLIGHT



PRODUCT CODE : PL9WB22CD

- Luminous flux: 810 Lumens
- Colour temperature: 4000K
- Beam angle: 220°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- B22 bayonet fitting

- Instant on
- 9 Watt
- Energy saving
- RoHS approved
- Mercury & lead free




A60 LED LAMP E27 - COOL DAYLIGHT



PRODUCT CODE : PL9WE27CD

- Luminous flux: 810 Lumens
- Colour temperature: 4000K
- Beam angle: 220°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E27 screw in fitting

- Instant on
- 9 Watt
- Energy saving
- RoHS approved
- Mercury & lead free




A60 LED LAMP B22 - COOL DAYLIGHT



PRODUCT CODE : PL7WB22CD

- Luminous flux: 560 Lumens
- Colour temperature: 4000K
- Beam angle: 220°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- B22 bayonet fitting

- Instant on
- 7 Watt
- Energy saving
- RoHS approved
- Mercury & lead free




A60 LED LAMP E27 - COOL DAYLIGHT




PRODUCT CODE : PL7WE27CD

- Luminous flux: 560 Lumens
- Colour temperature: 4000K
- Beam angle: 220°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E27 screw in fitting

- Instant on
- 7 Watt
- Energy saving
- RoHS approved
- Mercury & lead free




GOLF BALL LED LAMP E27 - COOL DAYLIGHT



PRODUCT CODE : PL7WE27GBCD

- Luminous flux: 560 Lumens
- Colour temperature: 4000K
- Beam angle: 220°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E27 screw in fitting

- Instant on
- 7 Watt
- Energy saving
- RoHS approved
- Mercury & lead free
- Day / night sensor




GOLF BALL LED LAMP E27 - COOL DAYLIGHT




PRODUCT CODE : PL7WE27GBWW

- Luminous flux: 560 Lumens
- Colour temperature: 3000K
- Beam angle: 220°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E27 screw in fitting

- Instant on
- 7 Watt
- Energy saving
- RoHS approved
- Mercury & lead free
- Day / night sensor




DAY/NIGHT LED LAMP B22 - COOL DAYLIGHT



PRODUCT CODE : PL9WDNB22CD

- Luminous flux: 810 Lumens
- Colour temperature: 4000K
- Beam angle: 200°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- B22 bayonet fitting

- Instant on
- 9 Watt
- Energy saving
- RoHS approved
- Mercury & lead free
- Day / night sensor




DAY/NIGHT LED LAMP E27 - COOL DAYLIGHT




PRODUCT CODE : PL9WDNE27CD

- Luminous flux: 810 Lumens
- Colour temperature: 4000K
- Beam angle: 200°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E27 screw in fitting

- Instant on
- 9 Watt
- Energy saving
- RoHS approved
- Mercury & lead free
- Day / night sensor




A60 LED LAMP B22 - COOL DAYLIGHT



PRODUCT CODE : PL7WB22CD

- Luminous flux: 560 Lumens
- Colour temperature: 4000K
- Beam angle: 220°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- B22 bayonet fitting

- Instant on
- 7 Watt
- Energy saving
- RoHS approved
- Mercury & lead free




A60 LED LAMP E27 - COOL DAYLIGHT



PRODUCT CODE : PL7WE27CD

- Luminous flux: 560 Lumens
- Colour temperature: 4000K
- Beam angle: 220°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E27 screw in fitting

- Instant on
- 7 Watt
- Energy saving
- RoHS approved
- Mercury & lead free




DIMMABLE LED LAMP – B22 - COOL DAYLIGHT




PRODUCT CODE : PL9WDB22CD

- Luminous flux: 810 Lumens
- Colour temperature: 4000K
- Beam angle: 220°
- Dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- B22 bayonet fitting

- Instant on
- 9 Watt
- Energy saving
- RoHS approved
- Mercury & lead free
- Brightness changes each time the switch is flicked - 100%, 50%, 15%




DIMMABLE LED LAMP – E27 - COOL DAYLIGHT



PRODUCT CODE : PL9WDE27CD

- Luminous flux: 810 Lumens
- Colour temperature: 4000K
- Beam angle: 220°
- Dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E27 screw in fitting

- Instant on
- 9 Watt
- Energy saving
- RoHS approved
- Mercury & lead free
- Brightness changes each time the switch is flicked - 100%, 50%, 15%




MOTION ACTIVATED LED LAMP B22 - COOL DAYLIGHT



PRODUCT CODE : PL9WMSB22CD

- Luminous flux: 810 Lumens
- Colour temperature: 4000K
- Beam angle: 200°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- B22 bayonet fitting

- Instant on
- 9 Watt
- Energy saving
- RoHS approved
- Mercury & lead free
- Motion activated sensor




MOTION ACTIVATED LED LAMP E27 - COOL DAYLIGHT



PRODUCT CODE : PL9WMSE27CD

- Luminous flux: 810 Lumens
- Colour temperature: 4000K
- Beam angle: 200°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E27 screw in fitting

- Instant on
- 9 Watt
- Energy saving
- RoHS approved
- Mercury & lead free
- Motion activated sensor




RECHARGEABLE LED LAMP – B22 - COOL DAYLIGHT



PRODUCT CODE : PL5WRB22CD

- Luminous flux: 350 Lumens
- Colour temperature: 4000K
- Beam angle: 160°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- B22 bayonet fitting

- Instant on
- 5 Watt
- Energy saving
- RoHS approved
- Mercury & lead free
- Rechargeable Li-Ion battery, 4 hours working time when fully charged




RECHARGEABLE LED LAMP – E27 - COOL DAYLIGHT




PRODUCT CODE : PL5WRE27CD

- Luminous flux: 350 Lumens
- Colour temperature: 4000K
- Beam angle: 160°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- E27 screw in fitting

- Instant on
- 5 Watt
- Energy saving
- RoHS approved
- Mercury & lead free
- Rechargeable Li-Ion battery, 4 hours working time when fully charged




LED GLASS TUBE 1.2 M - COOL WHITE



PRODUCT CODE : PL18W1.2TCW

- Luminous flux: 1600 Lumens
- Colour temperature: 4000K
- Beam angle: 300°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- G18 fitting
- Instant on
- 18 Watt
- Energy saving
- RoHS approved
- Mercury & lead free
- 1.2 Meters




LED GLASS TUBE 1.5 M - COOL WHITE



PRODUCT CODE : PL22W1.5TCW

- Luminous flux: 1600 Lumens
- Colour temperature: 4000K
- Beam angle: 300°
- Non dimmable
- 25000 Hour lifespan
- 3 Year warranty
- 220-240 Volts
- G18 fitting
- Instant on
- 18 Watt
- Energy saving
- RoHS approved
- Mercury & lead free
- 1.5 Meters



EXTENSIONS & PLUGS



EXTENDING TECHNOLOGY

Using the latest in multi-plug and extension technology, we bring you peace of mind with surge protection on our products.

Energy efficient adaptors, extension plugs and multi-plugs is a sure way to compliment your home or office.

2 X 16 AMP ADAPTOR



PRODUCT CODE : EA006L

- LED power indicator
- Safety shuttered
- 2 x 16 AMP



3 X 16 AMP ADAPTOR



PRODUCT CODE : EA007L

- Multiplug adaptor
- Safety shuttered
- 3 x 16 AMP



1 x 16 AMP, 2 x EUROMATE ADAPTOR



PRODUCT CODE : EA008L

- Euromate adaptor
- Safety shuttered
- 1 x 16 AMP
- 2 x 3 Pin Euromate



1 x 16 AMP, 2 x EUROMATE SURGE ADAPTOR



PRODUCT CODE : EA008S

- Euromate adaptor
- Medium Surge Protector
- Safety shuttered
- 1 x 16 AMP
- 2 x 3 Pin Euromate



SURGE PROTECTION SPECIFICATIONS	
SPD TYPE	3
UC	250V -L/N -PE L-N
UOC	4kv
UP	1.5kv
PROTECTION COMPONENT RESPONSE TIME (nSec)	< 25

1 x 16 AMP, 2 x EUROMATE, 1x SCHUKO ADAPTOR



PRODUCT CODE : EA009L

- Safety shuttered
- 1 x 16 AMP
- 2 X 3 Pin Pin Euromate
- 1 x Schuko



1 x 16 AMP, 2 x EUROMATE, 1x SCHUKO SURGE ADAPTOR



PRODUCT CODE : EA009S

- Adaptor
- 1 x 16 AMP
- 1 x Schuko
- 2 x 3 Pin Pin Euromate
- Safety shuttered
- Medium surge protection



SURGE PROTECTION SPECIFICATIONS	
SPD TYPE	3
UC	250V -L/N -PE L-N
UOC	4kv
UP	1.5kv
PROTECTION COMPONENT RESPONSE TIME (nSec)	< 25

2 x 16 AMP, 2 x EUROMATE, ADAPTOR



PRODUCT CODE : EA010L

- Safety shuttered
- 2 x 16 AMP
- 2 x 3 Pin Euromate



2 x 16 AMP, 2 x EUROMATE, SURGE ADAPTOR



PRODUCT CODE : EA010S

- Medium Surge Protector
- Safety shuttered
- 2 x 16 AMP
- 2 x 3 Pin Euromate



SURGE PROTECTION SPECIFICATIONS	
SPD TYPE	3
UC	250V -L/N -PE L-N
UOC	4kv
UP	1.5kv
PROTECTION COMPONENT RESPONSE TIME (nSec)	< 25

1 X 16AMP, 1 X EURO + 1 X SHUCKO + 2.1 AMP USB ADAPTOR



PRODUCT CODE : EA011L

- Safety shuttered
- 1 x Schuko
- 1 x 16 AMP
- 1 x 3 Pin Euromate
- 2.1A USB socket



1 X 16AMP, 1 X EURO + 1 X SHUCKO + 2.1 AMP USB SURGE ADAPTOR




PRODUCT CODE : EA011S

- 1 x 16 AMP
- 1 x Schuko
- 1 x 3 Pin Euromate
- 2.1A USB socket
- Safety shuttered
- Medium surge protection



SURGE PROTECTION SPECIFICATIONS	
SPD TYPE	3
UC	250V -L/N -PE L-N
UOC	4kv
UP	1.5kv
PROTECTION COMPONENT RESPONSE TIME (nSec)	< 25

MULTIPLUG 6 WAY, SINGLE SWITCH




PRODUCT CODE : EMP019

- Multiplug adaptor 6 way
- 3 x 16 AMP
- 1 x Schuko
- 2 x 3 Pin Euromate
- Safety shuttered
- 0.5m Cable



MULTIPLUG 8 WAY, SINGLE SWITCH




PRODUCT CODE : EMP001

- Multiplug adaptor 8 way
- 3 x 16 AMP
- 1 x Schuko
- 4 x 3 Pin Euromate
- Safety shuttered
- 0.5m Cable




MULTIPLUG 8 WAY SURGE, SINGLE SWITCH




PRODUCT CODE : EMP002

- 8 Way multiplug
- 3 x 16 AMP
- 1 x Schuko
- 4 x 3 Pin Euromate
- 0.5m Cable
- Overload protection
- Safety shuttered
- Medium surge protection




SURGE PROTECTION SPECIFICATIONS	
SPD TYPE	3
UC	250V -L/N -PE L-N
UOC	4kv
UP	1.5kv
PROTECTION COMPONENT RESPONSE TIME (nSec)	< 25

MULTIPLUG 8 WAY SURGE, SINGLE SWITCH, 2.1 AMP USB




PRODUCT CODE : EMP003

- 8 Way multiplug with 2.1 USB x 2
- 4 x 16 AMP
- 1 x Schuko
- 3 x 3 Pin Euromate
- 0.5m Cable
- Overload protection
- Safety shuttered
- Medium surge protection




SURGE PROTECTION SPECIFICATIONS	
SPD TYPE	3
UC	250V -L/N -PE L-N
UOC	4kv
UP	1.5kv
PROTECTION COMPONENT RESPONSE TIME (nSec)	< 25

MULTIPLUG 12 WAY, SINGLE SWITCH




PRODUCT CODE : EMP013

- 12 Way multiplug
- 5 x 16 AMP
- 1 x Schuko
- 6 x 3 Pin Euromate
- 0.5m Cable
- Overload protection
- Safety shuttered



MULTIPLUG 12 WAY SURGE, SINGLE SWITCH



PRODUCT CODE : EMP014

- 12 Way multiplug
- 5 x 16 AMP
- 1 x Schuko
- 6 x 3 Pin Euromate
- 0.5m Cable
- Overload protection
- Safety shuttered



MULTIPLUG 12 WAY SURGE, SINGLE SWITCH, 2.1 AMP USB




PRODUCT CODE : EMP015

- 12 Way multiplug
- 5 x 16 AMP
- 1 x Schuko
- 6 x 3 Pin Euromate
- 2 x 2.1A USB socket
- Overload protection
- Safety shuttered
- Medium surge protection



SURGE PROTECTION SPECIFICATIONS	
SPD TYPE	3
UC	250V -L/N -PE L-N
UOC	4kv
UP	1.5kv
PROTECTION COMPONENT RESPONSE TIME (nSec)	< 25

MULTIPLUG 3 WAY, SINGLE SWITCH




PRODUCT CODE : EE009

- 3 Way multiplug
- 2 x 16 AMP
- 1 x Schuko
- 0.5m Cable
- Overload protection
- Safety shuttered




MULTIPLUG 3 WAY, SINGLE SWITCH



PRODUCT CODE : EE010

- 3 Way multiplug
- 2 x 16 AMP
- 1 x Schuko
- 3m Cable
- Overload protection
- Safety shuttered




3M 16 AMP EXTENSION LEAD - DOUBLE JANUS COUPLER



PRODUCT CODE : EE018

- Double Janus coupler
- 3m length
- 1.5mm cord
- Safety shuttered
- LED power indicator




5M 16 AMP EXTENSION LEAD - DOUBLE JANUS COUPLER



PRODUCT CODE : EE019

- Double Janus coupler
- 5m length
- 1.5mm cord
- Safety shuttered
- LED power indicator




10M 16 AMP EXTENSION LEAD - DOUBLE JANUS COUPLER



PRODUCT CODE : EE020

- Double Janus coupler
- 10m length
- 1.5mm cord
- Safety shuttered
- LED power indicator




20M 16 AMP EXTENSION LEAD - DOUBLE JANUS COUPLER



PRODUCT CODE : EE021

- Double Janus coupler
- 20m length
- 1.5mm cord
- Safety shuttered
- LED power indicator




3M 10 AMP EXTENSION LEAD - DOUBLE JANUS COUPLER



PRODUCT CODE : EE022

- Double Janus coupler
- 3m length
- 1mm cord
- Safety shuttered
- LED power indicator




5M 10 AMP EXTENSION LEAD - DOUBLE JANUS COUPLER



PRODUCT CODE : EE023

- Double Janus coupler
- 5m length
- 1mm cord
- Safety shuttered
- LED power indicator




10M 10 AMP EXTENSION LEAD - DOUBLE JANUS COUPLER



PRODUCT CODE : EE024

- Double Janus coupler
- 10m length
- 1mm cord
- Safety shuttered
- LED power indicator




20M 10 AMP EXTENSION LEAD - DOUBLE JANUS COUPLER



PRODUCT CODE : EE025

- Double Janus coupler
- 20m length
- 1mm cord
- Safety shuttered
- LED power indicator



10M 10 AMP CASSETTE EXTENSION REEL - PLASTIC



PRODUCT CODE : EER001A

- Overload & 1 switch
- 10m length
- Safety shuttered
- Light duty



20M 10 AMP EXTENSION REEL - PLASTIC



PRODUCT CODE : EER002

- Overload & 1 switch
- 20m length
- Safety shuttered
- Medium duty



15M 10 AMP EXTENSION REEL - PLASTIC



PRODUCT CODE : EER007

- Overload & 1 switch
- 15m length
- Safety shuttered
- Light duty



25M 16 AMP EXTENSION REEL - PLASTIC



PRODUCT CODE : EER009

- Overload & 1 switch
- 25m length
- Safety shuttered
- Medium duty



20M 10 AMP EXTENSION REEL - STEEL



PRODUCT CODE : EER013

- Overload & 1 switch
- 20m length
- Safety shuttered
- Light duty



25M 16 AMP EXTENSION REEL - STEEL



PRODUCT CODE : EER005

- Overload & 1 switch
- 25m length
- Safety shuttered
- Medium duty



SINGLE EUROMATE ADAPTOR



PRODUCT CODE : EA001

- 16 AMP
- 250V
- Top entry



TWIN EUROMATE ADAPTOR



PRODUCT CODE : EA002

- 16 AMP
- 250V
- Top & back entry

**16
AMP**

TIPPLE EUROMATE ADAPTOR



PRODUCT CODE : EA003

- 16 AMP
- 250V
- Triple adaptor

**16
AMP**

SINGLE SCHUKO ADAPTOR



PRODUCT CODE : EA004

- 16 AMP
- 250V
- Top entry

16
AMP

SINGLE SCHUKO, SINGLE EUROMATE ADAPTOR



PRODUCT CODE : EA005

- 16 AMP
- 250V
- Top & bottom entry

16
AMP

JANUS COUPLER NYLON



PRODUCT CODE : EA012L

- 16 AMP
- 250V
- Max 3500 WATT
- Nylon Double Janus Adapter
- LED power indicator



JANUS COUPLER BLACK



PRODUCT CODE : EA012/BL

- 16 AMP
- 250V
- Max 3500 WATT
- Black Double Janus Adapter
- LED power indicator



HEAVY-DUTY RUBBER JANUS COUPLER



PRODUCT CODE : JC-01

- 16 AMP
- 250V
- Max 3500 WATT
- Rubber Double Janus Adapter
- LED power indicator



SINGLE HOLLOW PIN PLUG TOP



PRODUCT CODE : EPT02

- 16 AMP
- Hollow Pin
- White top



SINGLE HOLLOW PIN PLUG TOP



PRODUCT CODE : EPT02/BL

- 16 AMP
- Hollow Pin
- Black top

**16
AMP**

SINGLE SOLID PIN PLUG TOP



PRODUCT CODE : EPT03

- 16 AMP
- Solid Brass Pin
- White top

**16
AMP**

SINGLE SOLID PIN PLUG TOP



PRODUCT CODE : EPT03/BL

- 16 AMP
- Solid Brass Pin
- Black top

**16
AMP**

HEAVY DUTY SOLID PIN RUBBER PLUG TOP



PRODUCT CODE : PT-01

- 16 AMP
- Solid brass Pin
- Heavy Duty Black rubber top

**16
AMP**

