



**RACO**  
Expert

**CATALOGUE**

# RACO

---

## Expert



# Plant Care

|                       |     |
|-----------------------|-----|
| Master Series         | 2-3 |
| Home-Essential Series | 4-5 |

# Soil and Lawn Care

|              |     |
|--------------|-----|
| Nursery Tool | 6-7 |
| Grass Rake   | 7   |



# Plant Care

## Master Series

Exceptional performance. Combining best-in-class technologies, ergonomics, innovative features and durability to provide an experience that exceeds expectations. Gardening will never be the same.

### MaxForce Gear Bypass Secateurs

|                |                 |               |                 |                        |                                                                                                  |     |                                                                                                        |
|----------------|-----------------|---------------|-----------------|------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Cut Ø:<br>20mm | Length:<br>21cm | Width:<br>6cm | Weight:<br>190g | Art. no.<br><b>MS1</b> |  Blister Card | EAN | <br>4 712946 950207 |
|----------------|-----------------|---------------|-----------------|------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|



Warranty  
**20**  
YEARS

- Innovative Gear Ratchet Mechanism maximizes leverage where you need it most for 3x more power
- Optimized for any hand sizes from Small to Large

**3x**  
power

**Upper Blade:** High Carbon Steel JIS-SK85 (Xylan Coating)  
**Lower Blade:** Carbon Steel JIS-S50C (Satin Nickeled) with Sap Groove

**Power Transmission:** Gear Ratchet Mechanism

**Handle:** Steel Insert / Fiber Reinforced Plastic with Soft Grip

### MaxCut Bypass Secateurs

|                |                   |                 |                  |                         |                                                                                                    |     |                                                                                                          |
|----------------|-------------------|-----------------|------------------|-------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Cut Ø:<br>25mm | Length:<br>21.5cm | Width:<br>6.5cm | Weight:<br>270kg | Art. no.<br><b>MS42</b> |  Blister Card | EAN | <br>4 712780 270240 |
|----------------|-------------------|-----------------|------------------|-------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



Warranty  
**15**  
YEARS

- Ergonomic design and durable construction for heavy cutting of tough stems and branches
- Optimized for Medium and Large Hand Sizes

**2x**  
power

**Upper Blade:** High Carbon Steel JIS-SK85 (PTFE Coating)

**Lower Blade:** Carbon Steel (Hard Chrome Plating)

**Handle:** Reinforced Cast-Aluminum + Viny Grip

### MaxForce Anvil Secateurs

|                |                 |               |                  |                        |                                                                                                    |     |                                                                                                          |
|----------------|-----------------|---------------|------------------|------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Cut Ø:<br>25mm | Length:<br>20cm | Width:<br>7cm | Weight:<br>280kg | Art. no.<br><b>MS6</b> |  Blister Card | EAN | <br>4 712946 950320 |
|----------------|-----------------|---------------|------------------|------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



Warranty  
**15**  
YEARS

- Hybrid pruning shears combining the power of an anvil pruning shear with the precise cut of the bypass geometry
- Optimized for Medium and Large Hand Sizes

**3x**  
power

**Upper Blade:** High Carbon Steel JIS-SK85 (PTFE Coating) with Double Radii Grounding

**Anvil:** Zinc Alloy

**Power Transmission:** Internal Flat Spring

**Body & Handle:** High Strength Cast Iron + Soft Grip

## MaxCut Bypass Lopper

|                |                 |                |                  |                           |                                                                                                     |                                                                                                        |
|----------------|-----------------|----------------|------------------|---------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| Cut Ø:<br>45mm | Length:<br>77cm | Width:<br>25cm | Weight:<br>1.2kg | Art. no.<br><b>ML1-77</b> | <br>Blister Card | <br>4 712946 955516 |
|----------------|-----------------|----------------|------------------|---------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|



Warranty  
**25**  
YEARS

**3x**  
power

- For Heavy Cutting of fresh wood thanks to its large cutting capacity and the optimized cutting geometry
- The patented Pull-Back Slicing Action of the blade hold the branch in place and produce an easier and cleaner cut

**Upper Blade:** High Carbon Steel JIS-SK85 (PTFE Coating/5mm)  
**Lower Blade:** High Carbon Steel JIS-SK85 (Hard Chrome Plating)  
**Shaft:** Reinforced ERGAL Aluminum  
**Handle:** Anti-Slip Grip

## MaxCut Serrated Hedge Shears

|                |                 |                |                  |                           |                                                                                                      |                                                                                                        |
|----------------|-----------------|----------------|------------------|---------------------------|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| Cut Ø:<br>10mm | Length:<br>60cm | Width:<br>15cm | Weight:<br>0.9kg | Art. no.<br><b>MH1-60</b> | <br>Plastic Cover | <br>4 712946 955585 |
|----------------|-----------------|----------------|------------------|---------------------------|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|



Warranty  
**15**  
YEARS

**3x**  
power

- The innovative fully Serrated Blade keeps the cut material in the cutting area of the shears and prevents it from slipping out.
- Cutting up to 3 times easier and more efficient vs standard mechanism

**Blade Length:** 25cm  
**Upper Blade:** High Carbon Steel JIS-SK85 (PTFE Coating)  
**Lower Blade:** High Carbon Steel JIS-SK85 (PTFE Coating)  
**Shaft:** Reinforced ERGAL Aluminum  
**Handle:** Anti-Slip Grip

# Plant Care

## Home-Essential Series

Simple and effective with the quality RACO is known for.  
In short, these tools get the job done.

### CitySpecial Bypass Secateurs

|                |                 |               |                 |                        |                                                                                                     |                                                                                                        |
|----------------|-----------------|---------------|-----------------|------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| Cut Ø:<br>15mm | Length:<br>18cm | Width:<br>5cm | Weight:<br>180g | Art. no.<br><b>HS6</b> | <br>Blister Card | <br>4 712946 955448 |
|----------------|-----------------|---------------|-----------------|------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|



- Urban Sytle. Optimized for Small and Medium Hand Sizes
- Lightweight and efficient clean cut on green, living growth stems and thin branches

**Upper Blade:** High Carbon Steel JIS-SK85 (Xylan Coating)  
**Lower Blade:** Carbon Steel JIS-S50C (Hard Chrome Plating)  
**Handle:** Fiber Reinforced Plastic with Soft Grip

### CitySpecial Anvil Secateurs

|                |                 |               |                 |                        |                                                                                                       |                                                                                                          |
|----------------|-----------------|---------------|-----------------|------------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Cut Ø:<br>15mm | Length:<br>18cm | Width:<br>5cm | Weight:<br>180g | Art. no.<br><b>HS8</b> | <br>Blister Card | <br>4 712946 955455 |
|----------------|-----------------|---------------|-----------------|------------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|



- Urban Sytle. Optimized for Small and Medium Hand Sizes
- Lightweight and efficient clean cut on older woody branches and thin twigs.

**Upper Blade:** High Carbon Steel JIS-SK85 (Xylan Coating)  
**Lower Blade:** Carbon Steel JIS-S50C (Hard Chrome Plating)  
**Anvil:** Polyoxymethylene  
**Handle:** Fiber Reinforced Plastic with Soft Grip

### CitySpecial Universal Snips

|               |                 |               |                 |                         |                                                                                                       |                                                                                                          |
|---------------|-----------------|---------------|-----------------|-------------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Cut Ø:<br>8mm | Length:<br>18cm | Width:<br>5cm | Weight:<br>170g | Art. no.<br><b>HS10</b> | <br>Blister Card | <br>4 712946 955462 |
|---------------|-----------------|---------------|-----------------|-------------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|



- Urban Sytle. Optimized for Small and Medium Hand Sizes
- Designed for multiple cutting tasks including the cutting of such typical garden materials as plastic, tube, rope or hose

**Upper Blade:** Stainless Steel  
**Lower Blade:** Stainless Steel  
**Handle:** Fiber Reinforced Plastic with Soft Grip

# Bypass Lopper

|                |                 |                  |                   |                           |                                                                                                  |     |                                                                                                        |
|----------------|-----------------|------------------|-------------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Cut Ø:<br>30mm | Length:<br>56cm | Width:<br>23.5cm | Weight:<br>0.93kg | Art. no.<br><b>HL5-56</b> |  Blister Card | EAN | <br>4 712946 955530 |
|----------------|-----------------|------------------|-------------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|



- For cutting of fresh wood.
- Hooked bypass blades for easy catching of branches and a clean cut

**Upper Blade:** High Carbon Steel JIS-SK85 (PTFE Coating)  
**Lower Blade:** High Carbon Steel JIS-SK85 (Hard Chrome Plating)  
**Shaft:** Reinforced ERGAL Aluminum  
**Handle:** Anti-slip Grip

# Curved Pruning Saw

|                  |                 |                |                 |                              |                                                                                                 |     |                                                                                                        |
|------------------|-----------------|----------------|-----------------|------------------------------|-------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Blade:<br>37.5mm | Length:<br>53cm | Width:<br>10cm | Weight:<br>240g | Art. no.<br><b>RT53/331S</b> |  Sleeve Card | EAN | <br>4 712780 270868 |
|------------------|-----------------|----------------|-----------------|------------------------------|-------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|



- For smooth, fast and accurate sawing thanks to its highly efficient tooth profile
- Impulse hardend toothing with Triple Grinding

**Blade:** High Carbon Steel JIS-SK85  
(1.2mm thick /Hard Chrome plating)  
Japanese Teeth with Impulse Hardened  
**Hardness:** Blade HRC 65°  
Teeth HRC 74°  
**Handle:** ABS

# High Tree Pruner

|                |                      |                  |                  |                              |                                                                                                    |     |                                                                                                          |
|----------------|----------------------|------------------|------------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Cut Ø:<br>32mm | Length:<br>165-275cm | Width:<br>23.7cm | Weight:<br>1.3kg | Art. no.<br><b>RT53/371D</b> |  Blister Card | EAN | <br>4 712780 270998 |
|----------------|----------------------|------------------|------------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- Get all the reach you need with tree trimming tools designed to cut back high, hard-to-reach branches – no ladder, no chainsaw, no tree service up to 5 meters height. or at ground level without bending or kneeling.
- Trim branches up to 32mm thick with the sharp, durable steel pruner boasting a special low-friction coating
- Power-Lever mechanism increases leverage to give you up to two times more power
- For thicker branches, call on the power of the 350mm double-grind impulse hardened saw
- A unique double locking system ensures the pole stays extended for superior control
- Reinforced Aluminum telescopic pole extending from 1.5 to 2.4 m



# Soil and Lawn Care

## Nursery Tool

Give your new plants a great start. RACO nursery tools are ergonomically designed, lightweight and rust-free for comfortable planting, cultivating, weeding and seeding.

### Solid Hand Trowel

|                 |                 |                 |                 |                         |                                                                                            |     |                                                                                                        |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Working:<br>8cm | Length:<br>29cm | Width:<br>8.5cm | Weight:<br>120g | Art. no.<br><b>HT21</b> | <br>Tag | EAN | <br>4 712780 271438 |
|-----------------|-----------------|-----------------|-----------------|-------------------------|--------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|



- For planting and transplanting

Made of Durable Fiberglass-Reinforced Composite

### Solid Hand Transplanter

|                 |                 |               |                 |                         |                                                                                              |     |                                                                                                          |
|-----------------|-----------------|---------------|-----------------|-------------------------|----------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Working:<br>6cm | Length:<br>29cm | Width:<br>6cm | Weight:<br>106g | Art. no.<br><b>HT22</b> | <br>Tag | EAN | <br>4 712780 271445 |
|-----------------|-----------------|---------------|-----------------|-------------------------|----------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- For planting and weeding

Made of Durable Fiberglass-Reinforced Composite

### Solid Cultivator

|                 |                 |               |                 |                         |                                                                                              |     |                                                                                                          |
|-----------------|-----------------|---------------|-----------------|-------------------------|----------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Working:<br>8cm | Length:<br>28cm | Width:<br>8cm | Weight:<br>102g | Art. no.<br><b>HT23</b> | <br>Tag | EAN | <br>4 712780 271452 |
|-----------------|-----------------|---------------|-----------------|-------------------------|----------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- For aerating and loosening soil, removing weeds, doing planting and preparing the soil

Made of Durable Fiberglass-Reinforced Composite

### Solid Weed Fork

|                   |                 |               |                |                         |                                                                                              |     |                                                                                                          |
|-------------------|-----------------|---------------|----------------|-------------------------|----------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Working:<br>7.5cm | Length:<br>28cm | Width:<br>8cm | Weight:<br>95g | Art. no.<br><b>HT24</b> | <br>Tag | EAN | <br>4 712780 271469 |
|-------------------|-----------------|---------------|----------------|-------------------------|----------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- For planting and weeding whilst protecting roots

Made of Durable Fiberglass-Reinforced Composite

## Solid Planter's Hoe

|                   |                 |                  |                  |                         |                                                                                            |            |                                                                                                        |
|-------------------|-----------------|------------------|------------------|-------------------------|--------------------------------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------|
| Working:<br>7.5cm | Length:<br>33cm | Width:<br>20.5cm | Weight:<br>162kg | Art. no.<br><b>HT25</b> | <br>Tag | <b>EAN</b> | <br>4 712780 271476 |
|-------------------|-----------------|------------------|------------------|-------------------------|--------------------------------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------|



- For multiple planting and weeding tasks such as aeration, soil softening and weeding, helps to remove weeds with shallow roots and prepare flowerbeds for sowing seeds

Made of Durable Fiberglass-Reinforced Composite

## Solid Hand Tools Set 3pcs

|               |                 |                |                 |                           |                                                                                                  |            |                                                                                                        |
|---------------|-----------------|----------------|-----------------|---------------------------|--------------------------------------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------|
| Working:<br>— | Length:<br>55cm | Width:<br>39cm | Weight:<br>390g | Art. no.<br><b>HT203K</b> | <br>Handy Bag | <b>EAN</b> | <br>4 712946 950153 |
|---------------|-----------------|----------------|-----------------|---------------------------|--------------------------------------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------|



- A Must-Have Set including trowel, cultivator and hoe


Made of Durable Fiberglass-Reinforced Composite

## Grass Rake

Keep your green clean. A decent rake is a garden essential. Not only is it ideal for clearing away leaves and garden debris, but also helps with soil preparation.

### Adjustable Spring-Wire Rake

|                  |                     |                     |                   |                          |                                                                                                       |            |                                                                                                          |
|------------------|---------------------|---------------------|-------------------|--------------------------|-------------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------|
| Working:<br>55cm | Length:<br>80-125cm | Width:<br>17.5-55cm | Weight:<br>0.91kg | Art. no.<br><b>LK44C</b> | <br>Display Card | <b>EAN</b> | <br>4 712780 272039 |
|------------------|---------------------|---------------------|-------------------|--------------------------|-------------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------|



- Designed for raking leaves and removing loose moss and grass cuttings from the lawn and other areas in the garden such as gravel paths
- Fully adjustable working width and length

**Spring:** JIS G3506 SWRH62A (Zinc plated)  
15 Teeth / 17.5-55cm Adjustable

**Shaft:** Steel (Zinc plated) / 80 - 125cm Adjustable

**Handle:** PP (Impact Resistance)

# RACO

## Expert



# Watering

|                       |       |
|-----------------------|-------|
| Hose Fittings         | 10-15 |
| Spray Nozzle & Pistol | 16-17 |
| Sprinklers            | 18-19 |
| Hose Storage          | 20    |
| Spares                | 21    |

# Watering

## Hose Fittings

From tap to plant, water goes in to every single corner where it is needed. Simply click & connect with practicality and durability which has been tested up to 1.5 million clicks without a break or leak. They are made to resist knocks, weathering, UVA rays and high water pressures.

### G1/2" X G3/4" Swivel Female Tap Connector

|                              |                  |                 |                |                           |                                                                                                  |     |                                                                                                        |
|------------------------------|------------------|-----------------|----------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Tap:<br>15x21 mm<br>20x27 mm | Length:<br>9.8cm | Width:<br>3.5cm | Weight:<br>46g | Art. no.<br><b>55271C</b> |  Blister Card | EAN | <br>4 712780 286289 |
|------------------------------|------------------|-----------------|----------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|



- Rotating and swivelling connection to the tap
- Enabling the connection of a hose without kinking or twisting

Made of ABS

O-ring & Washer: DOUPUNT® EPDM



180°

### G1/2" X G3/4" Twin-Tap Distributor

|                              |                 |                |                 |                           |                                                                                                    |     |                                                                                                          |
|------------------------------|-----------------|----------------|-----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Tap:<br>15x21 mm<br>20x27 mm | Length:<br>17cm | Width:<br>13cm | Weight:<br>153g | Art. no.<br><b>55263C</b> |  Display Card | EAN | <br>4 712780 281178 |
|------------------------------|-----------------|----------------|-----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- To operate two water timers or other devices simultaneously from a single tap
- Independently regulating water flow on each way

Made of ABS

O-ring & Washer: DOUPUNT® EPDM



### G3/4" Dual Tap Distributor

|                  |                   |                 |                |                           |                                                                                                    |     |                                                                                                          |
|------------------|-------------------|-----------------|----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Tap:<br>20x27 mm | Length:<br>10.5cm | Width:<br>6.5cm | Weight:<br>45g | Art. no.<br><b>55255C</b> |  Display Card | EAN | <br>4 712780 281109 |
|------------------|-------------------|-----------------|----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- To connect two couplings to a tap
- Independently regulating water flow on each way

Made of ABS

O-ring & Washer: DOUPUNT® EPDM



### G1/2" X G3/4" 4-Way Water Distributor

|                              |                 |                |                 |                           |                                                                                                    |     |                                                                                                          |
|------------------------------|-----------------|----------------|-----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Tap:<br>15x21 mm<br>20x27 mm | Length:<br>19cm | Width:<br>11cm | Weight:<br>164g | Art. no.<br><b>55258C</b> |  Display Card | EAN | <br>4 712780 281130 |
|------------------------------|-----------------|----------------|-----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- enabling a simultaneous connection of four devices from one tap
- Independently regulating water flow on each way

Made of ABS

O-ring & Washer: DOUPUNT® EPDM



## G1/2" x G3/4" Female Tap Connector

|                                                                                                                                   |                  |                 |                |                           |                                                                                                     |     |                                                                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------|-----------------|----------------|---------------------------|-----------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Tap:<br>15x21 mm<br>20x27 mm                                                                                                      | Length:<br>4.8cm | Width:<br>3.0cm | Weight:<br>14g | Art. no.<br><b>55220C</b> | <br>Display Card | EAN | <br>4 712780 280874 |
|  |                  |                 |                | Art. no.<br><b>55220T</b> | <br>Tag          |     | <br>4 712780 281475 |



- Compatible with two tap sizes, it is installed without using any tools
- The optimal connection between garden hose and water tap

**Made of ABS**

**O-ring & Washer:** DOUPUNT® EPDM

## G1/2" Female Tap Connector

|                                                                                                                   |                  |                 |               |                           |                                                                                                     |     |                                                                                                        |
|-------------------------------------------------------------------------------------------------------------------|------------------|-----------------|---------------|---------------------------|-----------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Tap:<br>15x21 mm                                                                                                  | Length:<br>3.9cm | Width:<br>2.5cm | Weight:<br>6g | Art. no.<br><b>55214C</b> | <br>Display Card | EAN | <br>4 712780 280829 |
|  |                  |                 |               | Art. no.<br><b>55214T</b> | <br>Tag          |     | <br>4 712780 281420 |



- To connect automatic couplings to a threaded tap by simply screwing it on

**Made of ABS**

**O-ring & Washer:** DOUPUNT® EPDM

## G3/4" Female Tap Connector

|                                                                                                                    |                  |                 |               |                           |                                                                                                       |     |                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------|------------------|-----------------|---------------|---------------------------|-------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Tap:<br>20x27 mm                                                                                                   | Length:<br>3.9cm | Width:<br>3.3cm | Weight:<br>9g | Art. no.<br><b>55215C</b> | <br>Display Card | EAN | <br>4 712780 280836 |
|  |                  |                 |               | Art. no.<br><b>55215T</b> | <br>Tag          |     | <br>4 712780 281437 |



- To connect automatic couplings to a threaded tap by simply screwing it on

**Made of ABS**

**O-ring & Washer:** DOUPUNT® EPDM

## Round Tap Adaptor

|                                                                                     |                  |               |                |                           |                                                                                                       |     |                                                                                                          |
|-------------------------------------------------------------------------------------|------------------|---------------|----------------|---------------------------|-------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Tap:<br>Ø15-20 mm                                                                   | Length:<br>6.4cm | Width:<br>5cm | Weight:<br>43g | Art. no.<br><b>55223C</b> | <br>Blister Card | EAN | <br>4 712780 280904 |
|  |                  |               |                | Art. no.<br><b>55223T</b> | <br>Tag          |     | <br>4 712780 286319 |



- For taps with round spout (ext. Ø min. 15 max. 20mm)
- With adjustable stainless steel clip for simple fitting

**Body:** ABS / Rubber

**Hose Clamp:** Stainless Steel

**O-ring & Washer:** DOUPUNT® EPDM

# Watering

## 1/2" - 5/8" Hose Connector

|                  |                  |                 |                |                           |                                                                                                  |     |                                                                                                        |
|------------------|------------------|-----------------|----------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Hose:<br>13-15mm | Length:<br>5.5cm | Width:<br>3.8cm | Weight:<br>24g | Art. no.<br><b>55203C</b> |  Display Card | EAN | <br>4 712780 280737 |
|                  |                  |                 |                | Art. no.<br><b>55203T</b> |  Tag          |     | <br>4 712780 281352 |



- For a quick and easy-to-use connection at the beginning of the hose
- The internal patented spring is extremely resistant and durable

**Body:** PP (Impact Resistance)

**Ring Nut & Cover:** ABS

**Inner Spring:** POM (Polyoxymethylene)

## 3/4" Hose Connector

|               |                |               |                |                           |                                                                                                  |     |                                                                                                        |
|---------------|----------------|---------------|----------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Hose:<br>19mm | Length:<br>6cm | Width:<br>4cm | Weight:<br>34g | Art. no.<br><b>55204C</b> |  Display Card | EAN | <br>4 712780 280744 |
|               |                |               |                | Art. no.<br><b>55204T</b> |  Tag          |     | <br>4 712780 281369 |



- For a quick and easy-to-use connection at the beginning of the hose
- The internal patented spring is extremely resistant and durable

**Body:** PP (Impact Resistance)

**Ring Nut & Cover:** ABS

**Inner Spring:** POM (Polyoxymethylene)

## G3/4" Male Threaded Hose Connector

|                     |                  |                 |                |                           |                                                                                                    |     |                                                                                                          |
|---------------------|------------------|-----------------|----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Thread:<br>20x27 mm | Length:<br>5.5cm | Width:<br>3.8cm | Weight:<br>19g | Art. no.<br><b>55201C</b> |  Display Card | EAN | <br>4 712780 280713 |
|                     |                  |                 |                | Art. no.<br><b>55201T</b> |  Tag          |     | <br>4 712780 286296 |



- For adapting a threaded hose coupling to the tap connector
- The internal patented spring is extremely resistant and durable

**Body:** PP (Impact Resistance)

**Thread & Cover:** ABS

**Inner Spring:** POM (Polyoxymethylene)

## G3/4" Female Threaded Hose Connector

|                     |                  |               |                |                           |                                                                                                    |     |                                                                                                          |
|---------------------|------------------|---------------|----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Thread:<br>20x27 mm | Length:<br>5.5cm | Width:<br>4cm | Weight:<br>25g | Art. no.<br><b>55202C</b> |  Display Card | EAN | <br>4 712780 280720 |
|                     |                  |               |                | Art. no.<br><b>55202T</b> |  Tag          |     | <br>4 712780 286302 |



- For adapting a screw-type hose connection
- With AquaStop system
- The internal patented spring is extremely resistant and durable

**Body:** PP (Impact Resistance)

**Thread & Cover:** ABS

**Inner Spring:** POM (Polyoxymethylene)

**Washer:** DOUPUNT® EPDM"



## 1/2" - 5/8" Hose Repairer

|                  |                |                 |                |                           |                                                                                                  |     |                                                                                                        |
|------------------|----------------|-----------------|----------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Hose:<br>13-15mm | Length:<br>5cm | Width:<br>3.8cm | Weight:<br>22g | Art. no.<br><b>55211C</b> |  Display Card | EAN | <br>4 712780 280782 |
|                  |                |                 |                | Art. no.<br><b>55211T</b> |  Tag          |     | <br>4 712780 281406 |




- For repairing damaged hose by joining two pieces of hose together

**Body:** PP (Impact Resistance)  
**Ring Nut:** ABS

## 3/4" Hose Repairer

|               |                  |               |                |                           |                                                                                                  |     |                                                                                                        |
|---------------|------------------|---------------|----------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Hose:<br>19mm | Length:<br>5.5cm | Width:<br>4cm | Weight:<br>38g | Art. no.<br><b>55212C</b> |  Display Card | EAN | <br>4 712780 280799 |
|               |                  |               |                | Art. no.<br><b>55212T</b> |  Tag          |     | <br>4 712780 281413 |



- For repairing damaged hose by joining two pieces of hose together

**Body:** PP (Impact Resistance)  
**Ring Nut:** ABS

## 1/2" X 3/4" Hose Repairer

|                  |                  |               |                |                           |                                                                                                    |     |                                                                                                          |
|------------------|------------------|---------------|----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Hose:<br>13-19mm | Length:<br>5.5cm | Width:<br>4cm | Weight:<br>25g | Art. no.<br><b>55213C</b> |  Display Card | EAN | <br>4 712780 280805 |
|                  |                  |               |                | Art. no.<br><b>55213T</b> |  Tag          |     | <br>4 712780 286364 |



- For repairing damaged hose by joining two pieces of hose together

**Body:** PP (Impact Resistance)  
**Ring Nut:** ABS

## 1/2" Coupling Regulator Valve

|                  |                |                 |                |                           |                                                                                                    |     |                                                                                                          |
|------------------|----------------|-----------------|----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Hose:<br>13-15mm | Length:<br>9cm | Width:<br>5.2cm | Weight:<br>35g | Art. no.<br><b>55253C</b> |  Display Card | EAN | <br>4 712780 281086 |
|------------------|----------------|-----------------|----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- Automatic coupling with shut-off valve, for opening/ closing and regulating the water flow
- Easy grip control knob

**Made of** ABS / PP (Impact Resistance)  
**O-ring:** DOUPUNT® EPDM



# Watering

## Coupler Connector

|   |                |               |               |                           |                                                                                                  |     |                                                                                                        |
|---|----------------|---------------|---------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| — | Length:<br>5cm | Width:<br>3cm | Weight:<br>8g | Art. no.<br><b>55210C</b> |  Display Card | EAN | <br>4 712780 280775 |
|   |                |               |               | Art. no.<br><b>55210T</b> |  Tag          |     | <br>4 712780 281390 |



- Allowing two hoses to be joined together using two hose connectors

**Made of ABS**

**O-ring:** DOUPUNT® EPDM

## 3-Way Coupler

|   |                  |               |                |                           |                                                                                                  |     |                                                                                                        |
|---|------------------|---------------|----------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| — | Length:<br>6.5cm | Width:<br>6cm | Weight:<br>17g | Art. no.<br><b>55219C</b> |  Display Card | EAN | <br>4 712780 280867 |
|   |                  |               |                | Art. no.<br><b>55219T</b> |  Tag          |     | <br>4 712780 281468 |



- Connecting three hoses together and transforming a single irrigation into a double line

**Made of ABS**

**O-ring:** DOUPUNT® EPDM

## G1/2" Sprinkler Adapter

|                     |                  |               |               |                           |                                                                                                                                     |     |                                                                                                          |
|---------------------|------------------|---------------|---------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Thread:<br>15x21 mm | Length:<br>3.8cm | Width:<br>2cm | Weight:<br>4g | Art. no.<br><b>55217C</b> |  Display Card | EAN | <br>4 712946 955745 |
|                     |                  |               |               | Art. no.<br><b>55217T</b> |  Tag          |     | <br>4 712946 955752 |



- Simple connection between a hose and an accessory with a female thread.

**Made of ABS / PP (Impact Resistance)**

**O-ring:** DOUPUNT® EPDM

## G3/4" Sprinkler Adapter

|                     |                  |                 |               |                           |                                                                                                                                     |     |                                                                                                          |
|---------------------|------------------|-----------------|---------------|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Thread:<br>20x27 mm | Length:<br>3.8cm | Width:<br>2.5cm | Weight:<br>5g | Art. no.<br><b>55218C</b> |  Display Card | EAN | <br>4 712780 280850 |
|                     |                  |                 |               | Art. no.<br><b>55218T</b> |  Tag          |     | <br>4 712780 281451 |



- Simple connection between a hose and an accessory with a female thread.

**Made of ABS / PP (Impact Resistance)**

**O-ring:** DOUPUNT® EPDM

## 1/2" - 5/8" Hose End Connector

|                                                                                   |                |                 |                |                           |                                                                                                  |     |                                                                                                        |
|-----------------------------------------------------------------------------------|----------------|-----------------|----------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Hose:<br>13-15mm                                                                  | Length:<br>6cm | Width:<br>3.5cm | Weight:<br>28g | Art. no.<br><b>55205C</b> |  Display Card | EAN | <br>4 712780 280751 |
|  |                |                 |                | Art. no.<br><b>55205T</b> |  Tag          |     | <br>4 712780 281376 |



- Hose coupling with AquaStop system, allowing to switch between watering accessories without wasting water
- The internal patented spring is extremely resistant and durable



**Body:** PP (Impact Resistance)  
**Ring Nut & Cover:** ABS  
**Inner Spring:** POM (Polyoxymethylene)

## 3/4" Hose End Connector

|                                                                                    |                  |               |                |                           |                                                                                                  |     |                                                                                                        |
|------------------------------------------------------------------------------------|------------------|---------------|----------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Hose:<br>19mm                                                                      | Length:<br>6.5cm | Width:<br>4cm | Weight:<br>30g | Art. no.<br><b>55206C</b> |  Display Card | EAN | <br>4 712780 280768 |
|  |                  |               |                | Art. no.<br><b>55206T</b> |  Tag          |     | <br>4 712780 281383 |



- Hose coupling with AquaStop system, allowing to switch between watering accessories without wasting water
- The internal patented spring is extremely resistant and durable



**Body:** PP (Impact Resistance)  
**Ring Nut & Cover:** ABS  
**Inner Spring:** POM (Polyoxymethylene)

## Water Starter Kit 4pcs

|   |                   |                  |                 |                           |                                                                                                    |     |                                                                                                          |
|---|-------------------|------------------|-----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| — | Length:<br>21.5cm | Width:<br>14.5cm | Weight:<br>137g | Art. no.<br><b>55383B</b> |  Blister Card | EAN | <br>4 712780 283677 |
|---|-------------------|------------------|-----------------|---------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- Everything you need to water, ex. Irrigation and cleaning around the house and garden



# Watering

## Spray Nozzle & Pistol

Wisely use water without wasting a single drop for both your watering and outdoor cleaning needs. The ergonomic design with added stability makes watering comfortable and hassle free.

### MaxiComfy Spray Jet Nozzle

|        |                   |                 |                |                              |                                                                                                  |     |                                                                                                        |
|--------|-------------------|-----------------|----------------|------------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| 2 Jets | Length:<br>16.5cm | Width:<br>3.5cm | Weight:<br>77g | Art. no.<br><b>RT55/311C</b> |  Display Card | EAN | <br>4 712780 281567 |
|--------|-------------------|-----------------|----------------|------------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|



- Infinitely adjustable spray pattern from jet to fine mist
- Brass nozzle tips, powerful, precise and durable
- Pleasant to the touch thanks to the soft covering, it guarantees perfect grip even with wet hands



**Body:** ABS / Soft Component (TPR) /  
PP (Impact Resistance) /  
Brass (Nozzle Tips)

**O-ring:** DOUPUNT® EPDM

### MaxiComfy Spray Jet Nozzle Gun

|        |                 |                  |                 |                              |                                                                                                    |     |                                                                                                          |
|--------|-----------------|------------------|-----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| 2 Jets | Length:<br>19cm | Width:<br>15.5cm | Weight:<br>110g | Art. no.<br><b>RT55/445C</b> |  Display Card | EAN | <br>4 712780 304761 |
|--------|-----------------|------------------|-----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- Infinitely adjustable spray pattern from jet to fine mist
- Brass nozzle tips, powerful, precise and durable
- Pleasant to the touch thanks to the soft covering, it guarantees perfect grip even with wet hands



**Body:** ABS / Soft Component (TPR) /  
PP (Impact Resistance) /  
Brass (Nozzle Tips)

**O-ring:** DOUPUNT® EPDM

### MaxiComfy Multi Spray Gun

|        |                   |                |                 |                              |                                                                                                    |     |                                                                                                          |
|--------|-------------------|----------------|-----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| 8 Jets | Length:<br>18.5cm | Width:<br>18cm | Weight:<br>135g | Art. no.<br><b>RT55/447C</b> |  Display Card | EAN | <br>4 712780 304778 |
|--------|-------------------|----------------|-----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- 8 spray patterns, including cone, vertical, flat, mist, soaker, center, power jet, shower
- Brass nozzle tips, powerful, precise and durable
- Pleasant to the touch thanks to the soft covering, it guarantees perfect grip even with wet hands

**Body:** ABS / Soft Component (TPR) /  
PP (Impact Resistance) /

**O-ring:** DOUPUNT® EPDM

## Spray Jet Nozzle

|        |                   |                 |                |                           |                                                                                                  |     |                                                                                                        |
|--------|-------------------|-----------------|----------------|---------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| 2 Jets | Length:<br>13.8cm | Width:<br>3.2cm | Weight:<br>35g | Art. no.<br><b>55381C</b> |  Display Card | EAN | <br>4 712780 281802 |
|        |                   |                 |                | Art. no.<br><b>55381T</b> |  Tag          |     | <br>4 712780 281550 |



- Infinitely adjustable spray pattern from jet to fine mist

**Body:** ABS / Soft Component (TPR) /  
PP (Impact Resistance)

**O-ring:** DOUPUNT® EPDM

## Spray Jet Nozzle Gun

|        |                 |                |                 |                              |                                                                                                    |     |                                                                                                          |
|--------|-----------------|----------------|-----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| 2 Jets | Length:<br>19cm | Width:<br>13cm | Weight:<br>102g | Art. no.<br><b>RT55/518C</b> |  Display Card | EAN | <br>4 712780 309964 |
|        |                 |                |                 |                              |                                                                                                    |     |                                                                                                          |



- Infinitely adjustable spray pattern from jet to fine mist
- Featuring a ergonomic rear trigger control with trigger lock and flow control

**Body:** ABS / Soft Component (TPR) /  
PP (Impact Resistance)

**O-ring:** DOUPUNT® EPDM

## Multi Spray Gun

|        |                 |                  |                 |                              |                                                                                                    |     |                                                                                                          |
|--------|-----------------|------------------|-----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| 4 Jets | Length:<br>19cm | Width:<br>18.5cm | Weight:<br>130g | Art. no.<br><b>RT55/514C</b> |  Display Card | EAN | <br>4 712780 309988 |
|        |                 |                  |                 |                              |                                                                                                    |     |                                                                                                          |



- 4 spray patterns, including shower, jet, fan spray and mist
- Featuring a ergonomic rear trigger control with trigger lock and flow control

**Body:** ABS / Soft Component (TPR) /  
PP (Impact Resistance)

**O-ring:** DOUPUNT® EPDM

# Watering

## Sprinklers

Ease of use, versatile features and a vast range of solutions to take care of every garden and lawn no matter the size. Watering is always like natural rainfall, even in low water pressure conditions.

### Impulse Sprinkler

|                                 |                 |                |                 |                         |                                                                                                  |     |                                                                                     |
|---------------------------------|-----------------|----------------|-----------------|-------------------------|--------------------------------------------------------------------------------------------------|-----|-------------------------------------------------------------------------------------|
| Coverage:<br>315 m <sup>2</sup> | Length:<br>13cm | Width:<br>13cm | Weight:<br>65g  | Art. no.<br><b>HK15</b> |  Display Card | EAN |  |
| Coverage:<br>315 m <sup>2</sup> | Length:<br>31cm | Width:<br>13cm | Weight:<br>109g | Art. no.<br><b>HK16</b> |  Display Card |     |  |



- Full and part circle operation with easy arc adjustment and distance control deflector that adjusts from a 6m to 10m radius
- Its unique design ensures the jet is well distributed, with no water leakage from the sides
- Self-adjusting up to 4 bars, adjustment devices for optimal setting at high water pressures

**HK15:** Head Only

**HK16:** Complete with Spike

**Made of ABS / Stainless Steel Spring**

### 2-Arms Rotating Spike Sprinkler

|                                 |                 |                  |                 |                              |                                                                                                    |     |                                                                                       |
|---------------------------------|-----------------|------------------|-----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|
| Coverage:<br>180 m <sup>2</sup> | Length:<br>29cm | Width:<br>15.5cm | Weight:<br>100g | Art. no.<br><b>RT55/659C</b> |  Display Card | EAN |  |
|---------------------------------|-----------------|------------------|-----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|



- Full circle rotating 2-arm sprinkler with adjustable nozzles
- It uses 6 jets to efficiently water your garden with an even coverage
- Completed with sturdy stake to guarantee maximum stability in the ground

**Made of ABS**

### 3-Arms Rotating Spike Sprinkler

|                                 |                 |                |                |                              |                                                                                                    |     |                                                                                       |
|---------------------------------|-----------------|----------------|----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|
| Coverage:<br>250 m <sup>2</sup> | Length:<br>23cm | Width:<br>15cm | Weight:<br>85g | Art. no.<br><b>RT55/665C</b> |  Display Card | EAN |  |
|---------------------------------|-----------------|----------------|----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|



- Full circle rotating 3-arm sprinkler with adjustable nozzles
- It uses 9 jets to efficiently water your garden with an even coverage
- Completed with sturdy stake to guarantee maximum stability in the ground

**Made of ABS**

## Oscillating Sprinkler

|                                 |                 |                |                 |                              |                                                                                                  |     |                                                                                                        |
|---------------------------------|-----------------|----------------|-----------------|------------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Coverage:<br>180 m <sup>2</sup> | Length:<br>42cm | Width:<br>14cm | Weight:<br>301g | Art. no.<br><b>RT55/681C</b> |  Display Card | EAN | <br>4 712780 282731 |
|---------------------------------|-----------------|----------------|-----------------|------------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|



- Ideal for evenly watering rectangular lawns or beds between 90 and 180 m<sup>2</sup>
- 15 precision punched water holes providing uniform distribution with natural rain effect
- Sturdy base made of aluminium and durable ABS



Made of Aluminum / ABS

## NANO 8-Functions Sprinkler

|                                 |                 |                  |                 |                              |                                                                                                  |     |                                                                                                        |
|---------------------------------|-----------------|------------------|-----------------|------------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| Coverage:<br>113 m <sup>2</sup> | Length:<br>19cm | Width:<br>17.5cm | Weight:<br>214g | Art. no.<br><b>RT55/666C</b> |  Display Card | EAN | <br>4 712780 282632 |
|---------------------------------|-----------------|------------------|-----------------|------------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|



- Flange rotates to provide 8 different functions
- Very easy to use, yet versatile stationary sprinkler between flower beds and plants
- Ready for immediate use, it guarantees uniform and gentle irrigation, without puddles



Made of ABS

## Sled Sprinkler

|                                |                 |                |                |                              |                                                                                                    |     |                                                                                                          |
|--------------------------------|-----------------|----------------|----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Coverage:<br>65 m <sup>2</sup> | Length:<br>15cm | Width:<br>13cm | Weight:<br>81g | Art. no.<br><b>RT55/660C</b> |  Display Card | EAN | <br>4 712780 282588 |
|--------------------------------|-----------------|----------------|----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- Stationary sprinkler with natural rain effect in circle pattern

Made of ABS



## Stationary Sprinkler

|                                |                   |                |                |                              |                                                                                                    |     |                                                                                                          |
|--------------------------------|-------------------|----------------|----------------|------------------------------|----------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Coverage:<br>30 m <sup>2</sup> | Length:<br>12.5cm | Width:<br>11cm | Weight:<br>42g | Art. no.<br><b>RT55/671C</b> |  Display Card | EAN | <br>4 712780 282670 |
| Coverage:<br>20 m <sup>2</sup> | Length:<br>12.5cm | Width:<br>11cm | Weight:<br>39g | Art. no.<br><b>RT55/674C</b> |  Display Card | EAN | <br>4 712780 282700 |



- Stationary sprinkler produces a fine spray for watering circular areas
- Compact and contoured design for easy movement over lawns

**RT55/671C:** 6-blade rotor intercepts the water jets to create a fine natural rain effect

**RT55/674C:** Full circle watering with natural rain effect

Made of ABS

# Watering

## Fan Handy Spray

|   |                 |                  |                |                              |                                                                                                  |     |                                                                                                        |
|---|-----------------|------------------|----------------|------------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| — | Length:<br>16cm | Width:<br>12.5cm | Weight:<br>88g | Art. no.<br><b>RT55/631C</b> |  Display Card | EAN | <br>4 712780 282519 |
|---|-----------------|------------------|----------------|------------------------------|--------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|



- Ideal with wide angle with rectangular gentle spray or flower beds
- With spike mounted for attended watering at any angle
- Complete with twist action valve flow control



Made of ABS

## Hose Storage

Keep your hose tidy, protected and ready to use with a fuss-free storage solution. With its compact yet sturdy design, the hose reels are ideal for terraces, balconies, small gardens or camping.

### 2-in-1 Hose Reel

|                              |                 |                |                  |                             |                                                                                                 |     |                                                                                                          |
|------------------------------|-----------------|----------------|------------------|-----------------------------|-------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Capacity:<br>60m (1/2" Hose) | Length:<br>60cm | Width:<br>45cm | Weight:<br>1.5kg | Art. no.<br><b>RT55/586</b> |  Color Box | EAN | <br>4 712780 282403 |
|------------------------------|-----------------|----------------|------------------|-----------------------------|-------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



- 2 in 1 - Wall mountable or free standing for total flexibility
- Space-saving design
- Easy Rewind - One piece winding handle and sturdy frame allows for quick and easy rewinding

Made of ABS / Steel Tube (Double Power Coating)

### Hose Hanger

|                              |                 |                |                 |                             |                                                                                           |     |                                                                                                          |
|------------------------------|-----------------|----------------|-----------------|-----------------------------|-------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| Capacity:<br>30m (1/2" Hose) | Length:<br>24cm | Width:<br>18cm | Weight:<br>240g | Art. no.<br><b>RT55/580</b> |  Tag | EAN | <br>4 712780 282366 |
|------------------------------|-----------------|----------------|-----------------|-----------------------------|-------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|




- Practical, compact hose reel to hang on the wall to always keep the hose and the accessories tidy and handy
- Reinforced grooves prevent change in form
- Integral storage rack secures hose ends and accessories

Made of PP (Impact Resistance)

# Spares

## Replacement O-Ring & Washer Set

|   |                   |                  |                |                           |                                                                                                     |     |                                                                                                        |
|---|-------------------|------------------|----------------|---------------------------|-----------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| — | Length:<br>23.7cm | Width:<br>15.5cm | Weight:<br>14g | Art. no.<br><b>55260B</b> | <br>Blister Card | EAN | <br>4 712780 281147 |
|---|-------------------|------------------|----------------|---------------------------|-----------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|



Made of DOUPUNT® EPDM

## Replacement O-ring Set

|   |                   |                  |                |                              |                                                                                                     |     |                                                                                                        |
|---|-------------------|------------------|----------------|------------------------------|-----------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|
| — | Length:<br>23.7cm | Width:<br>15.5cm | Weight:<br>15g | Art. no.<br><b>552600-5B</b> | <br>Blister Card | EAN | <br>4 712946 955080 |
|---|-------------------|------------------|----------------|------------------------------|-----------------------------------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------|



Made of DOUPUNT® EPDM

## G/1/2" Replacement Washer

|   |                   |                  |                |                              |                                                                                                       |     |                                                                                                          |
|---|-------------------|------------------|----------------|------------------------------|-------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| — | Length:<br>23.7cm | Width:<br>15.5cm | Weight:<br>15g | Art. no.<br><b>552604-5B</b> | <br>Blister Card | EAN | <br>4 712946 955059 |
|---|-------------------|------------------|----------------|------------------------------|-------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



Made of DOUPUNT® EPDM

## G3/4" Replacement Washer

|   |                   |                  |                |                              |                                                                                                       |     |                                                                                                          |
|---|-------------------|------------------|----------------|------------------------------|-------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|
| — | Length:<br>23.7cm | Width:<br>15.5cm | Weight:<br>15g | Art. no.<br><b>552606-5B</b> | <br>Blister Card | EAN | <br>4 712946 905061 |
|---|-------------------|------------------|----------------|------------------------------|-------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------|



Made of DOUPUNT® EPDM



**CONTACT US FOR A STORE CUSTOMISED RANGE OFFERING.**

PROUDLY DISTRIBUTED BY



**BRANDS4AFRICA.CO.ZA**



#### JOHANNESBURG

119 Landmarks Avenue,  
Samrand Business Park  
Centurion, 0187

TEL: +27 10 591 3988

#### DURBAN

30 Goodwood Road,  
Unit 7, Mahogany Ridge Industrial Park,  
Pinetown, 3610

TEL: +27 31 780 3000

#### PORT ELIZABETH (GQEBERHA)

Kapbro Industrial Park, Bedford  
Street, Dudley Rd, Eastern Cape,  
6020

TEL: +27 41 451 0400

#### GEORGE

18 Ring Road,  
George Industria,  
George, 6536

TEL: +27 44 874 2632

#### WESTERN CAPE

4 Packer Avenue,  
Epping,  
Cape Town, 7460

TEL: +27 21 507 3040